



SHENZHEN LONGSHINE LIGHTING CO.,Limited


Address: 4/F,C building,San Min Industrial Zone,Shiyan Town,Bao'an District,Shenzhen City,China




Tel: 86-755-27646335 Fax: 0755-29005877 Mobile phone: 86-18123989810

E-mail: sales01@lsledlight.com skype: nancy-aurora200911




Linkman: Ms.Nancy xie website:www.lsledlight.com


LED Flexible Strip list (SMD 5050 standard Items)

NO.	Model NO.	LED type	LED qty/m	Lumen per LED/1m	IP code	width	color	voltage	Remark	Picture
1	LS-F5050C30-12 (Ra>70, Ra>80, Ra>90) Power:7.2W/M	5050	30	18-20	IP20 IP65 IP67	10	3000K 4500K 6000K Red Yellow Blue Green RGB Others	DC12/24V	support any customize	

2	LS-F5050C60-12 (Ra>70, Ra>80, Ra>90) Power:14. 4W/M	5050	60	18-20	IP20 IP65 IP67	10	3000K 4500K 6000K Red Yellow Blue Green RGB Others	DC12/24V	support any customize	
3	LS-F5050C120-24 (Ra>70, Ra>80, Ra>90) Power:28. 8W/M	5050	60	18-20	IP20 IP65 IP67	15	3000K 4500K 6000K Red Yellow Blue Green RGB Others	DC24V	support any customize	
4	LS-F5050C48-12 (Ra>70, Ra>80, Ra>90) Power:11. 52W/M	5050	48	18-20	IP20 IP65 IP67	10	3000K 4500K 6000K Red Yellow Blue Green RGB Others	DC12	support any customize	

5	LS-F5050C72-12 (Ra>70, Ra>80, Ra>90) Power:17.28W/M	5050	72	18-20	IP20 IP65 IP67	10	3000K 4500K 6000K Red Yellow Blue Green RGB Others	DC12	support any customize	
5	LS-F5050C84-12 (Ra>70, Ra>80, Ra>90) Power:20.16W/M	5050	84	18-20	IP20 IP65 IP67	10	3000K 4500K 6000K Red Yellow Blue Green RGB Others	DC12	support any customize	
6	LS-F5050RGBW96-24 (Ra>70, Ra>80, Ra>90) Power:23.04W/M	5050	96	18-20	IP20 IP65 IP67	13.5	RGBW RGBWW	DC24	support any customize	

7	LS-F5050RGBW120-2496 (Ra>70, Ra>80, Ra>90) Power:28. 8W/M	5050	120	18-20	IP20 IP65 IP67	20	RGBW RGBWW	DC24	support any customize	
8	LS-F5050RGBW60-12 (Ra>70, Ra>80, Ra>90) Power:14. 4W/M	5050	60	18-20	IP20 IP65 IP67	12	RGBW RGBWW	DC12/24	support any customize	
9	LS-F5050WWCW60-12A (Ra>70, Ra>80, Ra>90) Power:14. 4W/M	5050	60	18-20	IP20 IP65 IP67	10	30WW+30C W	DC12V	support any customize	

10	LS-F5050CWWW60-12A (Ra>70, Ra>80, Ra>90) Power:14.4W/M	5050	60	/	IP20 IP65 IP67	10	WW+CW	DC12V	support any customize	
----	--	------	----	---	----------------------	----	-------	-------	-----------------------------	---



SHENZHEN LONGSHINE LIGHTING CO.,Limited


Address: 4/F,C building,San Min Industrial Zone,Shiyan Town,Bao'an District,Shenzhen City,China

Tel: 86-755-27646335 Fax: 0755-29005877 Mobile phone: 86-18123989810


E-mail: sales01@lsledlight.com skype: nancy-aurora200911

Linkman: Ms.Nancy xie website:www.lsledlight.com



LED Flexible Strip list (SMD 3528 standard Items)



NO.	Model NO.	LED type	LED qty/m	Lumen per LED/1m	IP code	width	color	voltage	Remark	Picture
1	LS-F3528C30-12 (Ra>70, Ra>80, Ra>90) Power:2.4W/M	3528	30	6-7	IP20 IP65 IP67	8	3000K 4500K 6000K Red Yellow Blue Green Others	DC12/24V	support any customize	

2	LS-F3528C60-12 (Ra>70, Ra>80, Ra>90) Power:4.8W/M	3528	60	6-7	IP20 IP65 IP67	8	3000K 4500K 6000K Red Yellow Blue Green Others	DC12/24V	support any customize	
3	LS-F3528C120-12 (Ra>70, Ra>80, Ra>90) Power:9.6W/M	3528	120	6-7	IP20 IP65 IP67	8	3000K 4500K 6000K Red Yellow Blue Green Others	DC12/24V	support any customize	
4	LS-F3528C240-24 (Ra>70, Ra>80, Ra>90) Power:19.2W/M	3528	240	6-7	IP20 IP65 IP67	15	3000K 4500K 6000K Red Yellow Blue Green Others	DC24V	support any customize	

5	LS-F3528C48-12 (Ra>70, Ra>80, Ra>90) Power:3.84W/M	3528	48	6-7	IP20 IP65 IP67	8	3000K 4500K 6000K Red Yellow Blue Green Others	DC12V	support any customize	
6	LS-F3528C60-12 (Ra>70, Ra>80, Ra>90) Power:4.8W/M	3528	60	6-7	IP20 IP65 IP67	5	3000K 4500K 6000K Red Yellow Blue Green Others	DC12V	support any customize	
7	LS-F3528C60-12 (Ra>70, Ra>80, Ra>90) Power:4.8W/M	3528	60	6-7	IP20	4	3000K 4500K 6000K Red Yellow Blue Green Others	DC12V	support any customize	



8	LS-F3528C96-12 (Ra>70, Ra>80, Ra>90) Power:7.68W/M	3528	96	6-7	IP20 IP65 IP67	8	3000K 4500K 6000K Red Yellow Blue Green Others	DC12V	support any customize	
9	LS-F3528WWCW120-12 (Ra>70, Ra>80, Ra>90) Power:9.6W/M	3528	120	6-7	IP20 IP65 IP67	10	CW+WW	DC12V	support any customize	
10	LS-F3528WWCW240-24 (Ra>70, Ra>80, Ra>90) Power:19.2W/M	3528	240	6-7	IP20 IP65 IP67	15	CW+WW	DC24V	support any customize	

11	<p>LS-F3528C60-12  (Ra&gt;70, Ra&gt;80, Ra&gt;90)  Power:4.8W/M  (Greatwall strip)</p>	3528	60	6-7	IP20	10	3000K 4500K 6000K Red Yellow Blue Green Others	DC12V	support any customize	
12	<p>LS-F3528C240-24  (Ra&gt;70, Ra&gt;80, Ra&gt;90)  Power:19.2W/M</p>	3528	240	6-7	IP20	10	3000K 4500K 6000K Red Yellow Blue Green Others	DC24V	support any customize	



**SHENZHEN LONGSHINE LIGHTING CO.,Limited**



Address: 4/F,C building,San Min Industrial Zone,Shiyan Town,Bao'an District,Shenzhen City,China





Tel: 86-755-27646335 Fax: 0755-29005877 Mobile phone: 86-18123989810


E-mail: sales01@lsledlight.com skype: nancy-aurora200911

Linkman: Ms.Nancy xie website:www.lsledlight.com

**LED Flexible Strip list (2835 standard Items)**

NO.	Model NO.	LED type	LED qty/m	Lumen per LED/1m	IP code	width	color	voltage	Remark	Picture
1	LS-F2835C30-12 (Ra>70, Ra>80, Ra>90) Power:6W/M	2835	30	20-22	IP20 IP65 IP67	8	3000K 4500K 6000K	DC12V	support any customize	
2	LS-F2835C60-12 (Ra>70, Ra>80, Ra>90) Power:12W/M	2835	60	20-22	IP20 IP65 IP67	8	3000K 4500K 6000K	DC12/24V	support any customize	

3	LS-F3528C120-12 (Ra>70, Ra>80, Ra>90) Power:24W/M	2835	120	20-22	IP20 IP65 IP67	8	3000K 4500K 6000K	DC12V	support any customize	
4	LS-F2835C60-12 (Ra>70, Ra>80, Ra>90) Power:12W/M	2835	60	20-22	IP20 IP65 IP67	10	3000K 4500K 6000K	DC24V	support any customize	
5	LS-F2835C60S-12 (Ra>70, Ra>80, Ra>90) Power:12W/M (bendable S shape strip)	2835	60	20-22	IP20	8	3000K 4500K 6000K	DC12V	support any customize	
6	LS-F2835C192-24 (Ra>70, Ra>80, Ra>90) Power:19.8W/M	2835	192	20-22	IP20	10	3000K 4500K 6000K	DC24V	support any customize	

6	LS-F2835C120-12 (Ra>70, Ra>80, Ra>90) Power:24W/ (Greatwall strip)	2835	192	20-22	IP20	10	3000K 4500K 6000K	DC12V	support any customize	
---	---	------	-----	-------	------	----	-------------------------	-------	-----------------------------	---



**SHENZHEN LONGSHINE LIGHTING CO.,Limited**



**Address: 4/F,C building, San Min Industrial Zone, Shiyan Town, Bao'an District, Shenzhen City, China**


**Tel: 86-755-27646335 Fax: 0755-29005877 Mobile phone: 86-18123989810**

**E-mail: sales01@lsledlight.com skype: nancy-aurora200911**

**Linkman: Ms.Nancy xie website:www.lsledlight.com**

**LED Flexible Strip list (others standard Items)**

NO.	Model NO.	LED type	LED qty/m	Lumen per LED/1m	IP code	width	color	voltage	Remark	Picture
1	LS-F3014C60-12 (Ra>70, Ra>80, Ra>90) Power:6W/M	3014	60	10-12	IP20	8	3000K 4500K 6000K	DC12V/24V	support any customize	
2	LS-F3014C120-12 (Ra>70, Ra>80, Ra>90) Power:12W/M	3014	120	10-12	IP20 IP65 IP67	8	3000K 4500K 6000K	DC12/24V	support any customize	

3	LS-F5730C60-12 (Ra>70, Ra>80, Ra>90) Power:19W/M	5730	60	30-35	IP20	10	3000K 4500K 6000K	DC12V	support any customize	
4	LS-F335C60-12 (Ra>70, Ra>80, Ra>90) Power:4.8W/M (side view)	335	60	5-6	IP20 IP65 IP67	8	3000K 4500K 6000K	DC12V	support any customize	