



SHENZHEN LONGSHINE LIGHTING CO.,LTD

Address: 4/F,C building,San Min Industrial Zone,Shiyan Town,Bao'an District,Shenzhen City,China

Tel: 86-755-27646335

Fax: 0755-29005877

E-mail: sales01@lsledlight.com

MSN:xieqiong1227@126.com

Mobile phone: 86-18123989810

skype: nancy-aurora200911

Linkman: Ms.Nancy xie website:www.lsledlight.com

2016 Meanwell LED driver list(NES series)

Model NO.	Picture	Specification	Remark
NES-15-12/24		1.constant voltage led driver 2.Input:AC85-264V,output:DC12V or DC24V 3.Power:15.6W 4. UL.CB.CCC	/
NES-25-12/24		1.constant voltage led driver 2.Input:AC85-264V or AC120-370,output:DC12V or DC24V 3.Power:25.2W 4. UL.CB.CCC	/
NES-35-12/24		1.constant voltage led driver 2.Input:AC85-264V or AC120-370,output:DC12V or DC24V 3.Power:36W 4. UL.CB.CCC	/
NES-50-12/24		1.constant voltage led driver 2.Input:AC85-264V or AC120-370,output:DC12V or DC24V 3.Power:52.8W 4. UL.CB.CCC	/

NES-75-12/24		<p>1.constant voltage led driver  2.Input:AC85-264V,output:DC12V or DC24V  3.Power:25.2W  4. UL.CB.CCC</p>	/
NES-100-12/24		<p>1.constant voltage led driver  2.Input:AC85-132V or AC176-264 or AC248-373,output:DC12V or DC24V  3.Power:108W  4. UL.CB.CCC</p>	/
NES-150-12/24		<p>1.constant voltage led driver  2.Input:AC90-132V or AC180-264 or AC248-373,output:DC12V or DC24V  3.Power:156W  4. UL.CB.CCC</p>	/
NES-200-12/24		<p>1.constant voltage led driver  2.Input:AC85-132V or AC180-264 or AC254-370,output:DC12V or DC24V  3.Power:211.2W  4. UL.CB.CCC</p>	/
NES-350-12/24		<p>1.constant voltage led driver  2.Input:AC90-132V or AC180-264 or AC254-370,output:DC12V or DC24V  3.Power:348W  4. UL.CB.CCC</p>	/



SHENZHEN LONGSHINE LIGHTING CO.,LTD

Address: 4/F,C building,San Min Industrial Zone,Shiyan Town,Bao'an District,Shenzhen City,China

Tel: 86-755-27646335

Fax: 0755-29005877

E-mail: sales01@lsledlight.com




MSN:xieqiong1227@126.com







Mobile phone: 86-18123989810







skype: nancy-aurora200911



Linkman: Ms.Nancy xie website:www.lsledlight.com

2016 Meanwell LED driver list(Waterproof series)

Model NO.	Picture	Specification	Remark
LPV-20-12/24		1.constant voltage led driver(PMW) 2.Input:AC90-264V,output:DC12V or DC24V 3.Power:20W 4.IP code:IP67(plastic housing) 4. UL.CB.CCC	/
LPV-35-12/24		1.constant voltage led driver(PMW) 2.Input:AC90-264V,output:DC12V or DC24V 3.Power:35W 4.IP code:IP67(plastic housing) 4. UL.CB.CCC	/
LPV-60-12/24		1.constant voltage led driver(PMW) 2.Input:AC90-264V,output:DC12V or DC24V 3.Power:60W 4.IP code:IP67(plastic housing) 4. UL.CB.CCC	/

LPV-100-12/24		<p>1.constant voltage led driver(PMW)  2.Input:AC90-264V or AC127-370V,output:DC12V or DC24V  3.Power:102W  4.IP code:IP67(plastic housing)  4. UL.CB.CCC</p>	/
LPV-150-12/24		<p>1.constant voltage led driver(PMW)  2.Input:AC90-264V or AC127-370V,output:DC12V or DC24V  3.Power:150W  4.IP code:IP67(plastic housing)  4. UL.CB.CCC</p>	/
CLG-60-12/24		<p>1.constant voltage led driver(PMW)  2.Input:AC90-265V,output:DC12V or DC24V  3.Power:60W  4.IP code:IP67(Aluminum housing)  4. UL.CB.CCC</p>	/
CLG-100-12/24		<p>1.constant voltage led driver(PMW)  2.Input:AC90-265V,output:DC12V or DC24V  3.Power:100W  4.IP code:IP67(Aluminum housing)  4. UL.CB.CCC</p>	/
CLG-150-12/24		<p>1.constant voltage led driver(PMW)  2.Input:AC90-265V,output:DC12V or DC24V  3.Power:151.2W  4.IP code:IP67(Aluminum housing)  4. UL.CB.CCC</p>	/
HLG-40H-12/24		<p>1.constant voltage led driver(PMW)  2.Input:AC90-305V or DC127-431V,output:DC12V or DC24V  3.Power:39.96W  4.IP code:IP67(Aluminum housing)  4. UL.CB.CCC</p>	/

HLG-60H-12/24		<p>1.constant voltage led driver(PMW)  2.Input:AC90-305V or DC127-431V,output:DC12V or DC24V  3.Power:60W  4.IP code:IP67(Aluminum housing)  4. UL.CB.CCC</p>	/
HLG-80H-12/24		<p>1.constant voltage led driver(PMW)  2.Input:AC90-305V or DC127-431V,output:DC12V or DC24V  3.Power:80W  4.IP code:IP67(Aluminum housing)  4. UL.CB.CCC</p>	/
HLG-100H-12/24		<p>1.constant voltage led driver(PMW)  2.Input:AC90-305V or DC127-431V,output:DC12V or DC24V  3.Power:96W  4.IP code:IP67(Aluminum housing)  4. UL.CB.CCC</p>	/
HLG-120H-12/24		<p>1.constant voltage led driver(PMW)  2.Input:AC90-305V or DC127-431V,output:DC12V or DC24V  3.Power:120W  4.IP code:IP67(Aluminum housing)  4. UL.CB.CCC</p>	/
HLG-150H-12/24		<p>1.constant voltage led driver(PMW)  2.Input:AC90-305V or DC127-431V,output:DC12V or DC24V  3.Power:151.2W  4.IP code:IP67(Aluminum housing)  4. UL.CB.CCC</p>	/
HLG-185H-12/24		<p>1.constant voltage led driver(PMW)  2.Input:AC90-305V or DC127-431V,output:DC12V or DC24V  3.Power:187.2W  4.IP code:IP67(Aluminum housing)  4. UL.CB.CCC</p>	/

HLG-240H-12/24		<p>1.constant voltage led driver(PMW)  2.Input:AC90-305V or DC127-431V,output:DC12V or DC24V  3.Power:240W  4.IP code:IP67(Aluminum housing)  4. UL.CB.CCC</p>	/
HLG-320H-12/24		<p>1.constant voltage led driver(PMW)  2.Input:AC90-305V or DC127-431V,output:DC12V or DC24V  3.Power:320W  4.IP code:IP67(Aluminum housing)  4. UL.CB.CCC</p>	/